Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 179

15 October to 15 November 1984



ACADEMIC PRESS
London New York San Francisco

H
01
J73

Copyright © 1984, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 179

Number 1, 15 October 1984

Senapathy, P., Tratschin, J.-D. and Carter, B. J., Replication of Adeno-associated Virus DNA. Complementation of Naturally Occurring *rep*$^-$ Mutants by a Wild-type Genome or an *ori*$^-$ Mutant and Correction of Terminal Palindrome Deletions 1

Powell, D. J., Friedman, J. M., Oulette, A. J., Krauter, K. S. and Darnell, J. E. Jr, Transcriptional and Post-transcriptional Control of Specific Messenger RNAs in Adult and Embryonic Liver . . . 21

Friedman, J. M., Chung, E. Y. and Darnell, J. E. Jr, Gene Expression During Liver Regeneration 37

Eads, T. M., Thomas, D. D. and Austin, R. H., Microsecond Rotational Motions of Eosin-labeled Myosin Measured by Time-resolved Anisotropy of Absorption and Phosphorescence 55

Barnett, V. A. and Thomas, D. D., Saturation Transfer Paramagnetic Resonance of Spin-labeled Muscle Fibers. Dependence of Myosin Head Rotational Motion on Sarcomere Length 83

Nakagawa, S. and Umeyama, H., Role of Catalytic Residues in the Formation of a Tetrahedral Adduct in the Acylation Reaction of Bovine β-Trypsin. A Molecular Orbital Study 103

Eisenberg, D., Schwarz, E., Komaromy, M. and Wall, R., Analysis of Membrane and Surface Protein Sequences with the Hydrophobic Moment Plot 125

Campbell, B. F., Magde, D. and Sharma, V. S., Geminate Recombination in Carboxy Hemoglobin A and its Relation to Overall Carbon Monoxide Reactivity 143

Letter to the Editor

Sieker, L. C., Adman, E. T., Jensen, L. H. and LeGall, J., Crystallization and Preliminary X-ray Diffraction Study of the 3-Fe Ferredoxin II from the Bacterium *Desulfovibrio gigas* . . 151

Number 2, 25 October 1984

Hammarström, K., Westin, G., Bark, C., Zabielski, J. and Pettersson, U., Genes and Pseudogenes for Human U2 RNA. Implications for the Mechanism of Pseudogene Formation 157

Frey, J., Chandler, M. and Caro, L., Overinitiation of Chromosome and Plasmid Replication in a *dnaAcos* Mutant of *Escherichia coli* K12. Evidence for *dnA–dnaB* Interactions 171

Tybulewicz, V. L. J., Falk, G. and Walker, J. E., *Rhodopseudomonas blastica atp* Operon. Nucleotide Sequence and Transcription . . . 185

Novokhatny, V. V., Kudinov, S. A. and Privalov, P. L., Domains in Human Plasminogen 215

Kamphuis, I. G., Kalk, K. H., Swarte, M. B. A. and Drenth, J., Structure of Papain Refined at 1·65 Å Resolution 233

Jorcano, J. L., Rieger, M., Franz, J. K., Schiller, D. L., Moll, R. and Franke, W. W., Identification of Two Types of Keratin Polypeptides Within the Acidic Cytokeratin Subfamily I 257

Letter to the Editor

Ebina, S. and Wuthrich, K., Amide Proton Titration Shifts in Bull Seminal Inhibitor IIA by Two-dimensional Correlated ^{1}H Nuclear Magnetic Resonance (COSY). Manifestation of Conformational Equilibria Involving Carboxylate Groups 283

Number 3, 5 November 1984

Guild, G. M. and Shore, E. M., Larval Salivary Gland Secretion Proteins in *Drosophila*. Identification and Characterization of the *Sgs-5* Structural Gene 289

Manly, S. P. and Matthews, K. S., *lac* Operator DNA Modification in the Presence of Proteolytic Fragments of the Repressor Protein . . . 315

Manly, S. P., Bennett, G. N. and Matthews, K. S., Enzymatic Digestion of Operator DNA in the Presence of the *lac* Repressor Tryptic Core . 335

Edlind, T. D., Cooley, T. E., Richards, S. H. and Ihler, G. M., Long Range Base-pairing in the Leftward Transcription Unit of Bacteriophage λ. Characterization by Electron Microscopy and Computer-aided Sequence Analysis 351

Bailone, A., Brandenburger, A., Lévine, A., Pierre, M., Dutreix, M. and Devoret, R., Indirect SOS Induction is Promoted by Ultraviolet Light-damaged miniF and Requires the miniF *lynA* Locus . . . 367

VANDEKERCKHOVE, J. and WEBER, K., Chordate Muscle Actins Differ Distinctly from Invertebrate Muscle Actins. The Evolution of the Different Vertebrate Muscle Actins 391

KELLER, B., SENGSTAG, C., KELLENBERGER, E. and BICKLE, T. A., Gene *68*, a New Bacteriophage T4 Gene which Codes for the 17 K Prohead Core Protein is Involved in Head Size Determination 415

VESTER, B. and GARRETT, R. A., Structure of a Protein L23–RNA Complex Located at the A-site Domain of the Ribosomal Peptidyl Transferase Centre 431

YOSHIMURA, H., NISHIO, T., MIHASHI, K., KINOSITA, K. JR and IKEGAMI, A., Torsional Motion of Eosin-labeled F-actin as Detected in the Time-resolved Anisotropy Decay of the Probe in the Sub-millisecond Time Range 453

Appendix: NISHIO, T., YOSHIMURA, H. and MIHASHI, K., Simulation of the Transient Absorption Anisotropy Curve of the Overall Rotational Motion of a Rigid Thin Rod with a Polymeric Length Distribution 465

HAN, S., UDVARDY, A. and SCHEDL, P., Transcriptionally Active Chromatin is Sensitive to *Neurospora crassa* and S_1 Nucleases 469

CREIGHTON, T. E. and GOLDENBERG, D. P., Kinetic Role of Meta-stable Native-like Two-disulphide Species in the Folding Transition of Bovine Pancreatic Trypsin Inhibitor 497

Appendix: Interpretation of the Kinetics of Protein Disulphide Bond Formation and Reduction 520

GOLDENBERG, D. P. and CREIGHTON, T. E., Folding Pathway of a Circular Form of Bovine Pancreatic Trypsin Inhibitor 527

PERKINS, S. J., VILLIERS, C. L., ARLAUD, G. J., BOYD, J., BURTON, D. R., COLOMB, M. G. and DWEK, R. A., Neutron Scattering Studies of Subcomponent C1q of First Component C1 of Human Complement and its Association with Subunit $C1r_2C1s_2$ Within C1 547

LETTERS TO THE EDITOR

MIRAMBEAU, G., DUGUET, M. and FORTERRE, P., ATP-dependent DNA Topoisomerase from the Archaebacterium *Sulfolobus acidocaldarius*. Relaxation of Supercoiled DNA at High Temperature 559

SERYSHEVA, I. I., TOURKIN, A. I., VENYAMINOV, S. YU. and POGLAZOV, B. F., On the Presence of Guanosine Phosphate in the Tail of Bacteriophage T4 565

BRANDENBURGER, A., BAILONE, A., LÉVINE, A. and DEVORET, R., Gratuitous Induction 571

NUMBER 4, 15 NOVEMBER 1984

ZANNIS-HADJOPOULOS, M., KAUFMANN, G. and MARTIN, R. G., Mammalian DNA Enriched for Replication Origins is Enriched for Snap-back Sequences 577

DELOTTO, R. and SCHEDL, P., A *Drosophila melanogaster* Transfer RNA Gene Cluster at the Cytogenetic Locus 90BC 587

DELOTTO, R. and SCHEDL, P., Internal Promoter Elements of Transfer RNA Genes are Preferentially Exposed in Chromatin 607

MARESCA, A., SINGER, M. F. and LEE, T. N. H., Continuous Reorganization Leads to Extensive Polymorphism in a Monkey Centromeric Satellite . 629

KÜNZLER, P., PAULI, U. and BRAUN, R., Regions in the Ribosomal Minichromosome of *Physarum polycephalum* are Protected from Restriction Nucleases; Protection is Insensitive to High Salt in the G Phase and Sensitive in the M Phase of the Cell Cycle 651

WELLS, R. G. and GRINDLEY, N. D. F., Analysis of the *γδ res* Site. Sites Required for Site-specific Recombination and Gene Expression . . 667

GARRETT, R. A., CHRISTENSEN, A. and DOUTHWAITE, S., Higher-order Structure in the 3′-Terminal Domain VI of the 23 S Ribosomal RNAs from *Escherichia coli* and *Bacillus stearothermophilus* 689

SANTUCCI, R., CHIANCONE, E. and GIARDINA, B., Oxygen Binding to *Octolasium complanatum* Erythrocruorin. Modulation of Homo- and Heterotropic Interactions by Cations 713

POST, J. F. M., COTTAM, P. F., SIMPLACEANU, V. and HO, C., Fluorine-19 Nuclear Magnetic Resonance Study of 5-Fluorotryptophan-labeled Histidine-binding Protein J of *Salmonella typhimurium* 729

LETTERS TO THE EDITOR

WEISS, A. S. and WAKE, R. G., Impediment to Replication Fork Movement in the Terminus Region of the *Bacillus subtilis* Chromosome 745

GRONENBORN, A. M., NERMUT, M. V., EASTON, P. and CLORE, G. M., Visualization of cAMP Receptor Protein-induced DNA Kinking by Electron Microscopy 751

MEININGER, T., RAAG, R., RODERICK, S. and BANASZAK, L. J., Preparation of Single Crystals of a Yolk Lipoprotein 759

LANGE, R. H., Lattice Parameters as Revealed by Electron Microscopy and a Comparison between Lipoprotein Crystals from Cyclostome Eggs Formed *in Vivo* and *in Vitro* 765

Index to Volume 179

Actins, chordate muscle, differ distinctly from invertebrate muscle actins. The evolution of the different vertebrate muscle actins, 391

F-actin, eosin-labeled, torsional motion as detected in the time-resolved anisotropy decay of the probe in the sub-millisecond time range, 453

Acylation reaction of bovine β-trypsin, role of catalytic residues in the formation of a tetrahedral adduct; a molecular orbital study, 103

Adeno-associated virus DNA replication. Complementation of naturally occurring *rep*$^-$ mutants by a wild-type genome or an *ori*$^-$ mutant and correction of terminal palindrome deletions, 1

Adman, E. T. (see also Sieker, L. C.), 151

Amide proton titration shifts in bull seminal inhibitor IIA by two-dimensional correlated ^{1}H n.m.r. (COSY). Manifestation of conformational equilibria involving carboxylate groups, 283

Arlaud, G. J. (see also Perkins, S. J.), 547

atp operon, *Rhodopseudomonas blastica*; nucleotide sequence and transcription, 185

ATP-dependent DNA topoisomerase from the Archaebacterium *Sulfolobus acidocaldarius*. Relaxation of supercoiled DNA at high temperature, 559

Austin, R. H. (see also Eads, T. M.), 55

Bacillus stearothermophilus and *Escherichia coli*, higher-order structure in the 3′-terminal domain VI of the 23 S ribosomal RNAs, 689

Bacillus subtilis chromosome, impediment to replication fork movement in the terminus region, 745

Bacteriophage λ, long range base-pairing in the leftward transcription unit. Characterization by electron microscopy and computer-aided sequence analysis, 351

— T4 gene *68* coding for the 17K prohead core protein is involved in head size determination, 415

— —, on the presence of guanosine phosphate in the tail, 565

Bacterium *Desulfovibrio gigas*, crystallization and preliminary X-ray diffraction study of the 3-Fe ferredoxin II, 151

Bailone, A., Brandenburger, A., Lévine, A., Pierre, M., Dutreix, M. & Devoret, R., Indirect SOS induction is promoted by ultraviolet light-damaged miniF and requires the miniF *lynA* locus, 367

— (see also Brandenburger, A.), 571

Banaszak, L. J. (see also Meininger, T.), 759

Bark, C. (see also Hammarström, K.), 157

Barnett, V. A. & Thomas, D. D., Saturation transfer paramagnetic resonance of spin-labeled muscle fibers. Dependence of myosin head rotational motion on sarcomere length, 83

Base-pairing, long range, in the leftward transcription unit of bacteriophage λ. Characterization by electron microscopy and computer-aided sequence analysis, 351

Bennett, G. N. (see also Manly, S. P.), 335

Bovine pancreatic trypsin inhibitor, folding pathway of a circular form, 527

— — — —, kinetic role of a meta-stable native-like two-disulphide species in the folding transition, 497

— β-trypsin, role of catalytic residues in the formation of a tetrahedral adduct in the acylation reaction; a molecular orbital study, 103

Boyd, J. (see also Perkins, S. J.), 547

Brandenburger, A., Bailone, A., Lévine, A. & Devoret, R., Gratuitous induction, 571

— (see also Bailone, A.), 367

Braun, R. (see also Künzler, P.), 651

Bull seminal inhibitor IIA, amide proton titration shifts by two-dimensional correlated ^{1}H n.m.r. (COSY). Manifestation of conformational equilibria involving carboxylate groups, 283

Burton, D. R. (see also Perkins, S. J.), 547

C1 component of human complement, neutron scattering studies of subcomponent C1q and its association with subunit $C1r_2C1s_2$ within C1, 547

cAMP receptor protein-induced DNA kinking, visualization by electron microscopy, 751

Campbell, B. F., Magde, D. & Sharma, V. S., Geminate recombination in carboxy hemoglobin A and its relation to overall carbon monoxide reactivity, 143

Carbon monoxide reactivity, and geminate recombination in carboxy hemoglobin A, 143

Carboxy hemoglobin A, geminate recombination and its relation to overall carbon monoxide reactivity, 143
Carboxylate groups and conformational equilibria. Amide proton titration shifts in bull seminal inhibitor IIA by two-dimensional correlated ^{1}H n.m.r. (COSY), 283
Caro, L. (see also Frey, J.), 171
Carter, B. J. (see also Senapathy, P.), 1
Catalytic residues, role in the formation of a tetrahedral adduct in the acylation reaction of bovine β-trypsin. A molecular orbital study, 103
Cation modulation of homo- and heterotropic interactions; oxygen binding to *Octolasium complanatum* erythrocruorin, 713
Cell cycle: regions in the ribosomal minichromosome of *Physarum polycephalum* are protected from restriction nucleases; protection is insensitive to high salt in the G phase and sensitive in the M phase, 651
Chandler, M. (see also Frey, J.), 171
Chiancone, E. (see also Santucci, R.), 713
Chordate muscle actins differ distinctly from invertebrate muscle actins. The evolution of the different vertbrate muscle actins, 391
Christensen, A. (see also Garrett, R. A.), 689
Chromatin, internal promoter elements of tRNA genes are preferentially exposed, 607
—, transcriptionally active, is sensitive to *Neurospora crassa* and S_1 nucleases, 469
Chromosome, *Bacillus subtilis*, impediment to replication fork movement in the terminus region, 745
— and plasmid replication, overinitiation in a *dnaAcos* mutant of *Escherichia coli* K12; evidence for *dnaA–dnaB* interactions, 171
Chung, E. Y. (see also Friedman, J. M.), 37
Clore, G. M. (see also Gronenborn, A. M.), 751
Colomb, M. G. (see also Perkins, S. J.), 547
Complement, human, neutron scattering studies of subcomponent C1q of first component C1 and its association with subunit $C1r_2C1s_2$ within C1, 547
Conformational equilibria involving carboxylate groups. Amide proton titration shifts in bull seminal inhibitor IIA by two-dimensional correlated ^{1}H n.m.r. (COSY), 283
Cooley, T. E. (see also Edlind, T. D.), 351
Correlated two-dimensional ^{1}H n.m.r. (COSY), and amice proton titration shifts in bull seminal inhibitor IIA. Manifestation of conformational equilibria involving carboxylate groups, 283
Cottam, P. F. (see also Post, J. F. M.), 729
Creighton, T. E. & Goldenberg, D. P., Kinetic role of meta-stable native-like two-disulphide species in the folding transition of bovine pancreatic trypsin inhibitor, 497
— (see also Goldenberg, D. P.), 527
Crystallization and preliminary X-ray diffraction study of the 3-Fe ferredoxin II from the bacterium *Desulfovibrio gigas*, 151
Crystals, lipoprotein, from cyclostome eggs formed *in vivo* and *in vitro*, a comparison; lattice parameters as revealed by electron microscopy, 765
— single, of a yolk lipoprotein; preparation, 759
Cyclostome eggs, a comparison between lipoprotein crystals formed *in vivo* and *in vitro*; lattice parameters as revealed by electron microscopy, 765
Cytogenetic locus 90BC, a *Drosophila melanogaster* tRNA gene cluster, 587
Cytokeratin subfamily I, acidic, identification of two types of keratin polypeptides, 257

Darnell, J. E. Jr (see also Friedman, J. M.), 37
— (see Powell, D. J.), 21
Delotto, R. & Schedl, P., A *Drosophila melanogaster* transfer RNA gene cluster at the cytogenetic locus 90BC, 587
— & —, Internal promoter elements of transfer RNA genes are preferentially exposed in chromatin, 607
DNA, adeno-associated virus, replication. Complementation of naturally occurring *rep*$^-$ mutants by a wild-type genome or an *ori*$^-$ mutant and correction of terminal palindrome deletions, 1
— kinking, cAMP receptor protein-induced, visualization by electron microscopy, 751
—, *lac* operator, modification in the presence of proteolytic fragments of the repressor protein, 315
—, mammalian, enriched for replication origins is enriched for snap-back sequences, 577
—, operator, enzymatic digestion in the presence of the *lac* repressor tryptic core, 335
— topoisomerase, ATP-dependent from the Archaebacterium *Sulfolobus acidocaldarius*. Relaxation of supercoiled DNA at high temperature, 559

dnaAcos mutant of *Escherichia coli* K12, overinitiation of chromosome and plasmid replication; evidence for *dnaA–dnaB* interactions, 171
Desulfovibrio gigas, crystallization and preliminary X-ray diffraction study of 3-Fe ferredoxin II, 151
Devoret, R. (see also Bailone, A.), 367
— (see also Brandenburger, A.), 571
Disulphide bonds, protein, interpretation of the kinetics of formation and reduction, 520
Domains in human plasminogen, 215
Douthwaite, S. (see also Garrett, R. A.), 689
Drenth, J. (see also Kamphuis, I. G.), 233
Drosophila, larval salivary gland secretion proteins; identification and characterization of the *Sgs-5* structural gene, 289
— *melanogaster* transfer RNA gene cluster at the cytogenetic locus 90BC, 587
Duguet, M. (see also Mirambeau, M.), 559
Dutreix, M. (see also Bailone, A.), 367
Dwek, R. A. (see also Perkins, S. J.), 547

Eads, T. M., Thomas, D. D. & Austin, R. H., Microsecond rotational motions of eosin-labeled myosin measured by time-resolved anisotropy of absorption and phosphorescence, 55
Easton, P. (see also Gronenborn, A. M.), 751
Ebina, S. & Wuthrich, K., Amide proton titration shifts in bull seminal inhibitor IIA by two-dimensional correlated ^{1}H nuclear magnetic resonance (COSY). Manifestation of conformational equilibria involving carboxylate groups, 283
Edlind, T. D., Cooley, T. E., Richards, S. H. & Ihler, G. M., Long range base-pairing in the leftward transcription unit of bacteriophage λ. Characterization by electron microscopy and computer-aided sequence analysis, 351
Eisenberg, D., Schwarz, E., Komaromy, M. & Wall, R., Analysis of membrane and surface protein sequences with the hydrophobic moment plot, 125
Electron microscopic study of lattice parameters, and a comparison between lipoprotein crystals from cyclostome eggs formed *in vivo* and *in vitro*, 765
— — visualization of cAMP receptor protein-induced DNA kinking, 751
— microscopy and computer-aided sequence analysis; long range base-pairing in the leftward transcription unit of bacteriophage λ, 351
Enzymatic digestion of operator DNA in the presence of the *lac* repressor tryptic core, 335
Eosin-labeled F-actin torsional motion as detached in the time-resolved anisotropy decay of the probe in the sub-millisecond time range, 453
— myosin, microsecond rotational motions measured by time-resolved anisotropy of absorption and phosphorescence, 55
Erythrocruorin, *Octolasium complanatum*, oxygen binding; modulation of homo- and heterotropic interactions by cations, 713
Escherichia coli and *Bacillus stearothermophilus*, higher-order structure in the 3′-terminal domain VI of the 23 S ribosomal RNAs, 689
— — K12, overinitiation of chromosome and plasmid replication in a *dnaAcos* mutant; evidence for *dnaA–dnaB* interactions, 171
Evolution of the different vertebrate muscle actins. Chordate muscle actins differ distinctly from invertebrate muscle actins, 391

Falk, G. (see also Tybulewicz, V. L. J.), 185
3-Fe ferredoxin II from the bacterium *Desulfovibrio gigas*, crystallization and preliminary X-ray diffraction study, 151
Fluorine-19 n.m.r. study of 5-fluorotryptophan-labeled histidine-binding protein J of *Salmonella typhimurium*, 729
5-Fluorotryptophan-labeled histidine-binding protein J of *Salmonella typhimurium*, fluorine-19 n.m.r. study, 729
Folding transition of bovine pancreatic trypsin inhibitor, kinetic role of a meta-stable native-like two-disulphide species, 497
— pathway of a circular form of bovine pancreatic trypsin inhibitor, 527
Forterre, P. (see also Mirambeau, G.), 559
Franke, W. W. (see also Jorcano, J. L.), 257
Franz, J. K. (see also Jorcano, J. L.), 257
Frey, J., Chandler, M. & Caro, L., Overinitiation of chromosome and plasmid replication in a *dnaAcos* mutant of *Escherichia coli* K12. Evidence for *dnaA–dnaB* interactions, 171

Friedman, J. M., Chung, E. Y. & Darnell, J. E. Jr, Gene expression during liver regeneration, 37
— — (see Powell, D. J.), 21

$\gamma\delta$ *res* site analysis. Sites required for site-specific recombination and gene expression, 667
Garrett, R. A., Christensen, A. & Douthwaite, S., Higher-order structure in the 3′-terminal domain VI of the 23 S ribosomal RNAs from *Escherichia coli* and *Bacillus stearothermophilus*, 689
— (see also Vester, B.), 431
Geminate recombination in carboxy hemoglobin A and its relation to overall carbon monoxide reactivity, 143
Gene cluster, *Drosophila melanogaster* tRNA, at the cytogenetic locus 90BC, 587
— expression; analysis of the $\gamma\delta$ *res* site, 667
— — during liver regeneration, 37
—, *Sgs-5* structural, identification and characterization; larval salivary gland secretion proteins in *Drosophila*, 289
— *68*, a new bacteriophage T4 gene which codes for the 17K prohead core protein is involved in head size determination, 415
Genes and pseudogenes for human U2 RNA; the mechanism of pseudogene formation, 157
—, tRNA, internal promoter elements are preferentially exposed in chromatin, 607
Giardina, B. (see also Santucci, R.), 713
Goldenberg, D. P. & Creighton, T. E., Folding pathway of a circular form of bovine pancreatic trypsin inhibitor, 527
— (see also Creighton, T. E.), 497
Gratuitous induction, 571
Grindley, N. D. F. (see also Wells, R. G.), 667
Gronenborn, A. M., Nermut, M. V., Easton, P. & Clore, G. M., Visualization of cAMP receptor protein-induced DNA kinking by electron microscopy, 751
Guanosine phosphate presence in the tail of bacteriophage T4, 565
Guild, G. M. & Shore, E. M., Larval salivary gland secretion proteins in *Drosophila*. Identification and characterization of the *Sgs-5* structural gene, 289

Hammarström, K., Westin, G., Bark, C., Zabielski, J. & Pettersson, U., Genes and pseudogenes for human U2 RNA. Implications for the mechanism of pseudogene formation, 157
Han, S., Udvardy, A. & Schedl, P., Transcriptionally active chromatin is sensitive to *Neurospora crassa* and S_1 nucleases, 469
Head size determination involves gene *68*, a new T4 gene which codes for the 17K prohead core protein, 415
Histidine-binding J protein, 5-fluorotryptophan-labeled, of *Salmonella typhimurium*, fluorine-19 n.m.r. study, 729
Ho, C. (see also Post, J. F. M.), 729
Human plasminogen domains, 215
— U2 RNA, genes and pseudogenes; the mechanism of pseudogene formation, 157
Hydrophobic moment plot, use in analysis of membrane and surface protein sequences, 125

Ihler, G. M. (see also Edlind, T. D.), 351
Ikegami, A. (see also Yoshimura, H.), 453
Induction, gratuitous, 571

Jensen, L. H. (see also Sieker, L. C.), 151
Jorcano, J. L., Rieger, M., Franz, J. K., Schiller, D. L., Moll, R. & Franke, W. W., Identification of two types of keratin polypeptides within the acidic cytokeratin subfamily I, 257

Kalk, K. H. (see also Kamphuis, I. G.), 233
Kamphuis, I. G., Kalk, K. H., Swarte, M. B. A. & Drenth, J., Structure of papain refined at 1·65 Å resolution, 233
Kaufmann, G. (see also Zannis-Hadjopoulos, M.), 577
Kellenberger, E. (see also Keller, B.), 415
Keller, B., Sengstag, C., Kellenberger, E. & Bickle, T. A., Gene *68*, a new bacteriophage T4 gene which codes for the 17K prohead core protein is involved in head size determination, 415
Keratin polypeptides, identification of two types within the acidic cytokeratin subfamily I, 257
Kinetic role of a meta-stable native-like two-disulphide species in the folding transition of bovine pancreatic trypsin inhibitor, 497

Kinetics of protein disulphide bond formation and reduction; interpretation, 520
Kinking, DNA, cAMP receptor protein-induced; visualization by electron microscopy, 751
Kinosita, K. Jr (see also Yoshimura, H.), 453
Komaromy, M. (see also Eisenberg, D.), 125
Krauter, K. S. (see also Powell, D. J.), 21
Kudinov, S. A. (see also Novokhatny, V. V.), 215
Künzler, P., Pauli, U. & Braun, R., Regions in the ribosomal minichromosome of *Physarum polycephalum* are protected from restriction nucleases; protection is insensitive to high salt in the G phase and sensitive in the M phase of the cell cycle, 651

lac repressor tryptic core, and enzymatic digestion of operator DNA, 335
operator DNA modification in the presence of proteolytic fragments of the repressor protein, 315
λ (see also Bacteriophage), 351
Lange, R. H., Lattice parameters as revealed by electron microscopy and a comparison between lipoprotein crystals from cyclostome eggs formed *in vivo* and *in vitro*, 765
Larval salivary gland secretion proteins in *Drosophila*. Identification and characterization of the *Sgs-5* structural gene, 289
Lattice parameters as revealed by electron microscopy and a comparison between lipoprotein crystals from cyclostome eggs formed *in vivo* and *in vitro*, 765
Lee, T. N. H. (see also Maresca, A.), 629
Legall, J. (see also Sieker, L. C.), 151
Lévine, A. (see also Bailone, A.), 367
— (see also Brandenburger, A.), 571
Lipoprotein crystals from cyclostome eggs formed *in vivo* and *in vitro*, a comparison; lattice parameters as revealed by electron microscopy, 765
—, yolk, preparation of single crystals, 759
Liver, adult and embryonic, transcriptional and post-transcriptional control of specific mRNAs, 21
— regeneration and gene expression, 37
Long range base-pairing in the leftward transcription unit of bacteriophage λ. Characterization by electron microscopy and computer-aided sequence analysis, 351
lynA locus is required when indirect SOS induction is promoted by ultraviolet light-damaged miniF, 367

Magde, D. (see also Campbell, B. F.), 143
Mammalian DNA enriched for replication origins is enriched for snap-back sequences, 577
Manly, S. P. & Matthews, K. S., *lac* operator DNA modification in the presence of proteolytic fragments of the repressor protein, 315
—, Bennett, G. N. & Matthews, K. S., Enzymatic digestion of operator DNA in the presence of the *lac* repressor tryptic core, 335
Maresca, A., Singer, M. F. & Lee, T. N. H., Continuous reorganization leads to extensive polymorphism in a monkey centromeric satellite, 629
Martin, R. G. (see also Zannis-Hadjopoulos, M.), 577
Matthews, K. S. (see also Manly, S. P.), 315, 335
Meininger, T., Raag, R., Roderick, S. & Banaszak, L. J., Preparation of single crystals of a yolk lipoprotein, 759
Membrane and surface protein sequences, analysis with the hydrophobic moment plot, 125
Messenger RNAs, specific, transcriptional and post-transcriptional control, in adult and embryonic liver, 21
Microsecond rotational motions of eosin-labeled myosin measured by time-resolved anisotropy of absorption and phosphorescence, 55
Mihashi, K. (see also Nishio, T.), 465
— (see also Yoshimura, H.), 453
Minichromosome, ribosomal, of *Physarum polycephalum*, regions are protected from restriction nucleases, 651
miniF, ultraviolet light-damaged, promoters indirect SOS induction; the *lynA* locus is required, 367
Mirambeau, G., Duguet, M. & Forterre, P., ATP-dependent DNA topoisomerase from the Archaebacterium *Sulfolobus acidocaldarius*. Relaxation of supercoiled DNA at high temperature, 559
Molecular orbital study of the role of catalytic residues in the formation of a tetrahedral adduct in the acylation reaction of bovine β-trypsin, 103
Moll, R. (see also Jorcano, J. L.), 257

Monkey centromeric satellite, continuous reorganization leads to extensive polymorphism, 629
Muscle actins, chordate, differ distinctly from invertebrate muscle actins; the evolution of the different vertebrate muscle actins, 391
— fibers, spin-labeled, saturation transfer e.p.r.; dependence of myosin head rotational motion on sarcomere length, 83
Myosin, eosin-labeled, microsecond rotational motions measured by time-resolved anisotropy of absorption and phosphorescence, 55
— head rotational motion, dependence on sarcomere length; saturation transfer e.p.r. of spin-labeled muscle fibers, 83

Nakagawa, S. & Umeyama, H., Role of catalytic residues in the formation of a tetrahedral adduct in the acylation reaction of bovine β-trypsin. A molecular orbital study, 103
Nermut, M. V. (see also Gronenborn, A. M.), 751
Neurospora crassa and S_1 nucleases, sensitivity of transcriptionally active chromatin, 469
Neutron scattering studies of subcomponent C1q of first component C1 of human complement and its association with subunit $C1r_2C1s_2$ within C1, 547
90BC cytogenetic locus, a *Drosphila melanogaster* tRNA gene cluster, 587
Nishio, T., Yoshimura, H. & Mihashi, K., Simulation of the transient absorption anisotropy curve of the overall rotational motion of a rigid thin rod with a polymeric length distribution (*Appendix* to Yoshimura, H. *et al.*, 453), 465
— (see also Yoshimura, H.), 453
Novokhatny, V. V., Kudinov, S. A. & Privalov, P. L., Domains in human plasminogen, 215
Nuclear magnetic resonance, correlated, two-dimensional, and amide proton titration shifts in bull seminal inhibitor IIA. Manifestation of conformational equilibria involving carboxylate groups, 283
— — —, fluorine-19, study of 5-fluorotryptophan-labeled histidine-binding protein J of *Salmonella typhimurium*, 729
Nucleases, *Neurospora crassa* and S_1, and sensitivity of transcriptionally active chromatin, 469
Nucleotide sequence and transcription for *Rhodopseudomonas blastica atp* operon, 185

Octolasium complanatum erythrocruorin, oxygen binding: modulation of homo- and heterotropic interactions by cations, 713
Operator DNA, enzymatic digestion in the presence of the *lac* repressor tryptic core, 335
— —, *lac*, modification in the presence of proteolytic fragments of the repressor protein, 315
ori$^-$ mutant; replication of adeno-associated virus DNA, 1
Oulette, A. J. (see also Powell, D. J.), 21
Overinitiation of chromosome and plasmid replication in a *dnaAcos* mutant of *Escherichia coli* K12; evidence for *dnaA–dnaB* interactions, 171
Oxygen binding to *Octolasium complanatum* erythrocruorin. Modulation of homo- and heterotropic interactions by cations, 713

Papain structure refined at 1·65 Å resolution, 233
Pathway, folding, of a circular form of bovine pancreatic trypsin inhibitor, 527
Pauli, U. (see also Künzler, P.), 651
Peptidyl transferase centre, ribosomal, structure of a protein L23–RNA complex located at the A-site domain, 431
Perkins, S. J., Villiers, C. L., Arlaud, G. J., Boyd, J., Burton, D. R., Colomb, M. G. & Dwek, R. A., Neutron scattering studies of subcomponent C1q of first component C1 of human complement and its association with subunit $C1r_2C1s_2$ within C1, 547
Pettersson, U. (see also Hammarström, K.), 157
Physarum polycephalum, regions in the ribosomal minichromosome are protected from restriction nucleases, 651
Pierre, M. (see also Bailone, A.), 367
Plasminogen, human, domains, 215
Poglazov, B. F. (see also Serysheva, I. I.), 565
Polymorphism in a monkey centromeric satellite, and continuous reorganization, 629
Post, J. F. M., Cottam, P. F., Simplaceanu, V. & Ho, C., Fluorine-19 nuclear magnetic resonance study of 5-fluorotryptophan-labeled histidine-binding protein J of *Salmonella typhimurium*, 729
Powell, D. J., Friedman, J. M., Oulette, A. J., Krauter, K. S. & Darnell, J. E. Jr, Transcriptional and post-transcriptional control of specific messenger RNAs in adult and embryonic liver, 21

Privalov, P. L. (see also Novokhatny, V. V.), 215
Prohead core 17K protein; the coding gene *68* is involved in T4 head size determination, 415
Promoter elements of tRNA genes are preferentially exposed in chromatin, 607
Protein disulphide bond formation and reduction, interpretation of kinetics, 520
— L23–RNA complex located at the A-site domain of the ribosomal peptidyl transferase centre; study of structure, 431
— sequences, membrane and surface, analysis with the hydrophobic moment plot, 125
—, 17K prohead core; the coding gene *68* is involved in T4 head size determination, 415
Proteins, larval salivary gland secretion, in *Drosophila*. Identification and characterization of the *Sgs-5* structural gene, 289
Pseudogenes and genes for human U2 RNA; the mechanism of pseudogene formation, 157

Raag, R. (see also Meininger, T.), 759
Recombination, site-specific, and gene expression; analysis of the $\gamma\delta$ *res* site, 667
Regeneration, liver, and gene expression, 37
Relaxation of supercoiled DNA at high temperature. ATP-dependent DNA topoisomerase from the Archaebacterium *Sulfolobus acidocaldarius*, 559
Reorganization, continuous, leads to extensive polymorphism in a monkey centromeric satellite, 629
rep$^-$ mutants; replication of adeno-associated virus DNA, 1
Replication of adeno-associated virus DNA. Complementation of naturally occurring *rep*$^-$ mutants by a wild-type genome or an *ori*$^-$ mutant and correction of terminal palindrome deletions, 1
— fork movement impediment in the terminus region of the *Bacillus subtilis* chromosome, 745
— origin-enriched mammalian DNA is enriched for snap-back sequences, 577
— overinitiation in a *dnaAcos* mutant of *Escherichia coli* K12; evidence for *dnaA–dnaB* interactions, 171
Repressor, *lac*, tryptic core, and enzymatic digestion of operator DNA, 335
— protein proteolytic fragments, and *lac* operator DNA modification, 315
Restriction nucleases, and protected regions in the ribosomal minichromosome of *Physarum polycephalum*, 651
Rhodopseudomonas blastica atp operon. Nucleotide sequence and transcription, 185
RNA, U2, human, genes and pseudogenes; the mechanism of pseudogene formation, 157
RNA–protein L23 complex located at the A-site domain of the ribosomal peptidyl transferase centre; study of structure, 431
RNAs, 23 S ribosomal, from *Escherichia coli* and *Bacillus stearothermophilus*, higher-order structure in the 3′-terminal domain VI, 689
Ribosomal minichromosome of *Physarum polycephalum*, regions are protected from restriction nucleases, 651
— peptidyl transferase centre, structure of a protein L23–RNA complex located at the A-site domain, 431
– 23 S RNAs from *Escherichia coli* and *Bacillus stearothermophilus*, higher-order structure in the 3′-terminal domain VI, 689
Richards, S. H. (see also Edlind, T. D.), 351
Rieger, M. (see also Jorcano, J. L.), 257
Roderick, S. (see also Meininger, T.), 759
Rotational microsecond motions of eosin-labeled myosin measured by time-resolved anisotropy of absorption and phosphorescence, 55
— motion, myosin head, dependence on sarcomere length; saturation transfer e.p.r. of spin-labeled muscle fibers, 83
— — of a rigid thin rod with a polymeric length distribution, simulation of the transient absorption anisotropy curve, 465

S_1 and *Neurospora crassa* nucleases, sensitivity of transcriptionally active chromatin, 469
Salivary gland secretion proteins in *Drosophila*. Identification and characterization of the *Sgs-5* structural gene, 289
Salmonella typhimurium, fluorine-19 n.m.r. study of 5-fluorotryptophan-labeled histidine-binding protein J, 729
Santucci, R., Chiancone, E. & Giardina, B., Oxygen binding to *Octolasium complanatum* erythrocruorin. Modulation of homo- and heterotropic interactions by cations, 713
Sarcomere length, relation to myosin head rotational motion; saturation transfer e.p.r. of spin-labeled muscle fibers, 83
Satellite, centromeric, monkey, continuous reorganization leads to extensive polymorphism, 629

Saturation transfer electron paramagnetic resonance of spin-labeled muscle fibres. Dependence of myosin head rotational motion on sarcomere length, 83
Schedl, P. (see also Delotto, R.), 587, 607
— (see also Han, S.), 469
Schiller, D. L. (see also Jorcano, J. L.), 257
Schwarz, E. (see also Eisenberg, D.), 125
Senapathy, P., Tratschin, J.-D. & Carter, B. J., Replication of adeno-associated virus DNA. Complementation of naturally occurring *rep*$^-$ mutants by a wild-type genome or an *ori*$^-$ mutant and correction of terminal palindrome deletions, 1
Sengstag, C. (see also Keller, B.), 415
Sequence analysis, computer-aided, and electron microscopy; long range base-pairing in the leftward transcription unit of bacteriophage λ, 351
—, nucleotide, and transcription for *Rhodopseudomonas blastica atp* operon, 195
Sequences, membrane and surface protein, analysis with the hydrophobic moment plot, 125
—, snap-back, for mammalian DNA enriched for replication origins, 577
Serysheva, I. I., Tourkin, A. I., Venyaminov, S. Yu. & Poglazov, B. F., On the presence of guanosine phosphate in the tail of bacteriophage T4, 565
Sgs-5 structural gene, identification and characterization; larval salivary gland secretion proteins in *Drosophila*, 289
Sharma, V. S. (see also Campbell, B. F.), 143
Shore, E. M. (see also Guild, G. M.), 289
Sieker, L. C., Adman, E. T., Jensen, L. H. & Legall, J., Crystallization and preliminary X-ray diffraction study of the 3-Fe ferredoxin II from the bacterium *Desulfovibrio gigas*, 151
Simplaceanu, V. (see also Post, J. F. M.), 729
Singer, M. F. (see also Maresca, A.), 629
68 gene, a new T4 gene which codes for the 17K prohead core protein is involved in head size determination, 415
Snap-back sequences for mammalian DNA enriched for replication origins, 577
SOS induction, indirect, is promoted by ultraviolet light-damaged miniF and requires the miniF *lynA* locus, 367
Spin-labeled muscle fibers, saturation transfer e.p.r.; dependence of myosin head rotational motion on sarcomere length, 83
Structure, higher-order, in the 3′-terminal domain VI of the 23 S ribosomal RNAs from *Escherichia coli* and *Bacillus stearothermophilus*, 689
— of papain refined at 1·65 Å resolution, 233
— — a protein L23–RNA complex located at the A-site domain of the ribosomal peptidyl transferase centre, 431
Sub-millisecond time-resolved anisotropy decay, and torsional motion of eosin-labeled F-actin, 453
Sulfolobus acidocaldarius ATP-dependent DNA topoisomerase. Relaxation of supercoiled DNA at high temperature, 559
Supercoiled DNA relaxation at high temperature. ATP-dependent DNA topoisomerase from the Archaebacterium *Sulfolobus acidocaldarius*, 559
Swarte, M. B. A. (see also Kamphuis, I. G.), 233

T4 (see also Bacteriophage), 415, 565
Tail, T4, on the presence of guanosine phosphate, 565
Terminus region of the *Bacillus subtilis* chromosome, impediment to replication fork movement, 745
Thin rod, rigid, with a polymeric length distribution, simulation of the transient absorption anisotropy curve of the overall rotational motion, 465
Thomas, D. D. (see also Barnett, V. A.), 83
Thomas, D. D. (see also Eads, T. M.), 55
3′-terminal domain VI of the 23 S ribosomal RNAs from *Escherichia coli* and *Bacillus stearothermophilus*, study of higher-order structure, 689
Time-resolved anisotropy of absorption and phosphorescence, use in measurement of microsecond rotational motions of eosin-labeled myosin, 55
— anisotropy decay in the sub-millisecond time range, and torsional motion of eosin-labeled F-actin, 453
Titration shifts, amide proton, in bull seminal inhibitor IIA by two-dimensional correlated ^{1}H n.m.r. (COSY). Manifestation of conformational equilibria involving carboxylate groups, 283
Topoisomerase, DNA, ATP-dependent, from the Archaebacterium *Sulfolobus acidocaldarius*. Relaxation of supercoiled DNA at high temperature, 559

Torsional motion of eosin-labeled F-actin as detected in the time-resolved anisotropy decay of the probe in the sub-millisecond time range, 453
Tourkin, A. I. (see also Serysheva, I. I.), 565
Transcription and nucleotide sequence for *Rhodopseudomonas blastica atp* operon, 185
— unit, leftward, of bacteriophage λ, long range base-pairing. Characterization by electron microscopy and computer-aided sequence analysis, 351
Transcriptional and post-transcriptional control of specific mRNAs in adult and embryonic liver, 21
Transcriptionally active chromatin is sensitive to *Neurospora crassa* and S_1 nucleases, 469
Transfer RNA gene cluster, *Drosophila melanogaster*, at the cytogenetic locus 90BC, 587
— — genes, internal promoter elements are preferentially exposed in chromatin, 607
Tratschin, J.-D. (see also Senapathy, P.), 1
Trypsin inhibitor, pancreatic bovine, folding pathway of a circular form, 527
— — — —, kinetic role of a meta-stable native-like two-disulphide species in the folding transition, 497
β-Trypsin, bovine, role of catalytic residues in the formation of a tetrahedral adduct in the acylation reaction; a molecular orbital study, 103
Tryptic core, *lac* repressor, and enzymatic digestion of operator DNA, 335
Tybulewicz, V. L. J., Falk, G. & Walker, J. E., *Rhodopseudomonas blastica atp* operon. Nucleotide sequence and transcription, 185

U2 RNA, human, genes and pseudogenes; the mechanism of pseudogene formation, 157
Udvardy, A. (see also Han, S.), 469
Ultraviolet light-damaged miniF promotes indirect SOS induction; the *lynA* locus is required, 367
Umeyama, H. (see also Nakagawa, S.), 103

Vandekerckhove, J. & Weber, K., Chordate muscle actins differ distinctly from invertebrate muscle actins. The evolution of the different vertebrate muscle actins, 391
Venyaminov, S. Yu. (see also Serysheva, I. I.), 565
Vertebrate muscle actin evolution. Chordate muscle actins differ distinctly from invertebrate muscle actins, 391
Vester, B. & Garrett, R. A., Structure of a protein L23–RNA complex located at the A-site domain of the ribosomal peptidyl transferase centre, 431
Villiers, C. L. (see also Perkins, S. J.), 547

Wake, R. G. (see also Weiss, A. S.), 745
Walker, J. E. (see also Tybulewicz, V. L. J.), 185
Wall, R. (see also Eisenberg, D.), 125
Weber, K. (see also Vandekerckhove, J.), 391
Weiss, A. S. & Wake, R. G., Impediment to replication fork movement in the terminus region of the *Bacillus subtilis* chromosome, 745
Wells, R. G. & Grindley, N. D. F., Analysis of the $\gamma\delta$ *res* site. Sites required for site-specific recombination and gene expression, 667
Westin, G. (see also Hammarström, K.), 157
Wuthrich, K. (see also Ebina, S.), 283

X-ray diffraction study, preliminary, of the 3-Fe ferredoxin II from the bacterium *Desulfovibrio gigas*, 151

Yolk lipoprotein, preparation of single crystals, 759
Yoshimura, H., Nishio, T., Mihashi, K., Kinosita, K. Jr & Ikegami, A., Torsional motion of eosin-labeled F-actin as detected in the time-resolved anisotropy decay of the probe in the sub-millisecond time range, 453
— (see also Nishio, T.), 465

Zabielski, J. (see also Hammarström, K.), 157
Zannis-Hadjopoulos, M., Kaufmann, G. & Martin, R. G., Mammalian DNA enriched for replication origins is enriched for snap-back sequences, 577